


GFMW/OC 99-1



*Pump also available in Stainless Steel



Specifications

Dimensions: 16" L x 11" W x 7 1/4" H

Center to Center: 5 3/4" (1" FPT)

Center to Wall: 2 1/4"

Electrical:

Single Phase 60 Hz 115 volt 2.15 amps

Single Phase 60 Hz 230 volt 1.07 amps


Weight:

26 lbs.

GFMW/OC 99-2



*Pumps also available in Stainless Steel



Specifications

Dimensions: 16" L x 11" W x 7 1/4" H

Center to Center: 5 3/4" (1" FPT)

Center to Wall: 2 1/4"

Electrical:

Single Phase 60 Hz 115 volt 4.3 amps

Single Phase 60 Hz 230 volt 2.14 amps

Weight:

34 lbs.


Office: 866-364-9460

Fax: 765-364-9462

e-mail: sales@flowcenterproducts.com

www.flowcenterproducts.com

GFMW/OC 99-13



Specifications

Dimensions: 16" L x 11" W x 7 1/4" H

Center to Center: 5 3/4" (1" FPT)

Center to Wall: 2 1/4"

Electrical:


Single Phase 60 Hz 115 volt 1.8 amps

Single Phase 60 Hz 230 volt 0.9 amps

Weight:

26 lbs.

GFMW/OC 99-23



Specifications

Dimensions: 16" L x 11" W x 7 1/4" H

Center to Center: 5 3/4" (1" FPT)

Center to Wall: 2 1/4"

Electrical:

Single Phase 60 Hz 115 volt 3.6 amps

Single Phase 60 Hz 230 volt 1.8 amps

Weight:

34 lbs.

Office: 866-364-9460

Fax: 765-364-9462


e-mail: sales@flowcenterproducts.com

www.flowcenterproducts.com

GFMW/OC 116-1



*Pump also available in Stainless Steel



Specifications

Dimensions: 16" L x 11" W x 7 1/4" H

Center to Center: 5 3/4" (1" FPT)

Center to Wall: 2 1/4"

Electrical:

Single Phase 60 Hz 230 volt 1.8 amps


Weight:

26 lbs.

GFMW/OC 116-2



*Pumps also available in Stainless Steel



Specifications

Dimensions: 16" L x 11" W x 7 1/4" H

Center to Center: 5 3/4" (1" FPT)

Center to Wall: 2 1/4"

Electrical:

Single Phase 60 Hz 230 volt 3.6 amps

Weight:

34 lbs.

Office: 866-364-9460

Fax: 765-364-9462


e-mail: sales@flowcenterproducts.com

www.flowcenterproducts.com

GFMW/OC 150-1



*Pump also available in Stainless Steel



Specifications

Dimensions: 16" L x 11" W x 8 1/4" H

Center to Center: 5 3/4" (1" FPT)

Center to Wall: 2 1/4"

Electrical: Single phase 60 Hz
115 volt Low-2.5 A, Med-3.1 A, High-3.5 A
230 volt Low-1.2 A, Med-1.5 A, High-1.7 A


Weight:
31 lbs.

Office: 866-364-9460
Fax: 765-364-9462

GFMW/OC 150-2



*Pumps also available in Stainless Steel



Specifications

Dimensions: 16" L x 11 5/8" W x 8 1/4" H

Center to Center: 5 3/4" (1" FPT)

Center to Wall: 2 1/4"

Electrical: Single phase 60 Hz
115 volt Low-5.0 A, Med-6.2 A, High-7.0 A
230 volt Low-2.4 A, Med-3.0 A, High-3.4 A

Weight:
45 lbs.

e-mail: sales@flowcenterproducts.com
www.flowcenterproducts.com