



63630 - Express Inhibitor Test Strips (vial of 25)

The Express Inhibitor Test provides a rapid on-site analysis of the concentration of all Fernox Protectors, and other molybdate based inhibitors, in central heating system water. Easy and intuitive to use, it is a quick and simple testing method to establish the presence of inhibitor within the system. Testing the concentration of inhibitor may be required for compliance with boiler warranties.

When used in conjunction with the Fernox Water Test App, which is free to download from the Apple App Store or Google Play Store, this single usage, on-site heating system test can be saved within the App and a lab-style report certificate is available to download. A pass or a fail is confirmed based on the colour of the test strips compared against the colour chart on the pot. In the event of fail result, corrective action can be take immediately by simply adding more inhibitor and retesting to receive the pass certificate - saves time as there is no need for return visits to site.

- Quick and simple on-site testing of inhibitor concentration
- One test strip per system. Each pot contains 25 test strips.
- Suitable for testing all molybdate-based inhibitors
- Download Fernox Water Test App for lab-style report certificate
- Easy compliance with local regulations and best practice
- Allows compliance with boiler warranties

Application

1. Scan QR code on the test strip vial, download Fernox Water Test App and register
2. Add new sample on the App
3. Fill out system details (address, age of system etc.)
4. Take a sample of system water which is representative of the system as a whole (drain the water for several seconds before taking the sample)
5. Dip the test strip into the system water for 1 second and remove
6. Compare to color chart within 10 seconds and take a picture
7. Select the color which most accurately represents the color observed on the test strip and submit. The sample is now saved on the app, the pass/fail is determined and a report is generated and emailed.

Packaging, Handling & Safety

The test strips are supplied in a vial of 25 strips. The test strips are non-hazardous, but should be kept out of reach of children.

Volumetrics & Barcodes

Barcode EAN	5014551636309	OCU Barcode	
Single Unit Weight (kg)	0.03	Outer Carton Weight (kg)	
Single Unit Height (mm)	86	Outer Carton Height (mm)	
Single Unit Width (mm)	29	Outer Carton Width (mm)	
Single Unit Depth (mm)	29	Outer Carton Depth (mm)	

Last Modified

2026-05-20T14:29:27.349000